

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Documents and Settings\mpepitone\My Documents\ChemDraw\10534338\gen.str



```
ring nodes :
1 2 3 4 5 6 10 11 12 13
ring/chain nodes :
7 8 9
ring/chain bonds :
1-7 4-9 7-8 9-10
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 10-11 10-13 11-12 12-13
exact/norm bonds :
4-9 9-10
exact bonds :
1-7 7-8 10-11 10-13 11-12 12-13
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
```

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:Atom
11:Atom 12:Atom 13:Atom

L4 STRUCTURE UPLOADED

=> s 14 sss full

FULL SEARCH INITIATED 17:58:24 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1605968 TO ITERATE

62.3% PROCESSED 1000000 ITERATIONS

1252 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.10

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
 BATCH **INCOMPLETE**


PROJECTED ITERATIONS: 1605968 TO 1605968

PROJECTED ANSWERS: 1876 TO 2144

L5 1252 SEA SSS FUL L4

=>

Uploading C:\Documents and Settings\mpepitone\My Documents\ChemDraw\10534338\cyb.str



ring nodes :

1 2 3 4 5 6 10 11 12 13

ring/chain nodes :

7 8 9

ring/chain bonds :

1-7 4-9 7-8 9-10

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 10-11 10-13 11-12 12-13

exact/norm bonds :

4-9 9-10

exact bonds :

1-7 7-8 10-11 10-13 11-12 12-13

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:Atom
11:Atom 12:Atom 13:Atom

L6 STRUCTURE UPLOADED

=> s l6 fam full

FULL SEARCH INITIATED 18:00:00 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 50 TO ITERATE

100.0% PROCESSED 50 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

L7 1 SEA FAM FUL L6

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

248.93

326.62

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-0.80

FILE 'CAPLUS' ENTERED AT 18:00:04 ON 22 DEC 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Dec 2008 VOL 149 ISS 26

FILE LAST UPDATED: 21 Dec 2008 (20081221/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s l7

L8 1 L7

=> d ibib abs hitstr l-


YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y

L8 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:550934 CAPLUS
 DOCUMENT NUMBER: 141:94041
 TITLE: Alkylsulfanylbzenes as fragrance or flavor compounds
 INVENTOR(S): Goeke, Andreas
 PATENT ASSIGNEE(S): Givaudan S. A., Switz.
 SOURCE: PCT Int. Appl., 17 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004056765	A1	20040708	WO 2003-CH814	20031212
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2003303211	A1	20040714	AU 2003-303211	20031212
EP 1572636	A1	20050914	EP 2003-813507	20031212
EP 1572636	B1	20070718		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
CN 1720222	A	20060111	CN 2003-80104961	20031212
CN 1307152	C	20070328		
JP 2006510685	T	20060330	JP 2004-560977	20031212
AT 367375	T	20070815	AT 2003-813507	20031212
ES 2289366	T3	20080201	ES 2003-813507	20031212
US 20060014664	A1	20060119	US 2005-534338	20050603
MX 2005PA06386	A	20050829	MX 2005-PA6386	20050614
IN 2005CN01301	A	20070622	IN 2005-CN1301	20050617
PRIORITY APPLN. INFO.:			GB 2002-29453	A 20021219
			WO 2003-CH814	W 20031212

OTHER SOURCE(S): MARPAT 141:94041
 AB Alkylsulfanylbzenes are prepared for uses in flavors and fragrances. Thus, 1-cyclopropylmethyl-4-methylsulfanylbzene (I) was prepared and added at 3.0 parts by weight to a standard woody spicy fragrance formulation. In this woody spicy fragrance, I blends excellently with the fresh spicy and woody notes of the perfume. I imparts a full body spicy impression to the top note but also gives freshness to the spicy woody notes of the dry down.
 IT 716341-18-3P
 RL: COS (Cosmetic use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (alkylsulfanylbzenes as fragrance or flavor compds.)
 RN 716341-18-3 CAPLUS
 CN Benzene, 1-(cyclobutylmethyl)-4-(methylthio)- (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s 15 and fragrance
77 L5
14200 FRAGRANCE
L9 0 L5 AND FRAGRANCE

=> s 15
L10 77 L5

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 77 ANSWERS - CONTINUE? Y/(N):y

L10 ANSWER 1 OF 77 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2008:1427121 CAPLUS
DOCUMENT NUMBER: 149:571659
TITLE: Herbicide compositions comprising at least one ALS inhibitor, one HPPD inhibitor and at least one saturated or unsaturated fatty acid
INVENTOR(S): Nettleton-Hammond, John Henry; Williams, Kirsty Jane; Broquet, Jean-Charles Daniel Nicolas
PATENT ASSIGNEE(S): Syngenta Limited, UK
SOURCE: PCT Int. Appl., 25pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2008142391	A1	20081127	WO 2008-GB1706	20080519
<p>W: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW</p> <p>RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM</p>				

PRIORITY APPLN. INFO.: GB 2007-9710 A 20070521

- AB The present invention relates to an herbicidal composition comprising a. at least one ALS-inhibiting herbicide; b. at least one HPPD-inhibiting herbicide; c. at least one saturated or unsatd. fatty acid. The present invention further relates to a method of controlling weeds at a locus which comprise applying to the locus a diluted herbicidal composition according to the present invention. The present invention further relates to the use of a saturated or unsatd. fatty acid to chemical stabilize an herbicidal composition comprising at least one sulfonylurea herbicide and at least one HPPD-inhibiting herbicide.
- IT 1082824-29-0, Mesotrione-Oxasulfuron mixture 1082824-30-3, Mesotrione-Tribenuron-methyl mixture 1082824-32-5, Mesotrione-Sulfometuron-methyl mixture 1082824-35-8, Mesotrione-Flazasulfuron mixture 1082824-37-0, Mesotrione-Chlorimuron-ethyl mixture 1082824-39-2, Mesotrione-Chlorsulfuron mixture 1082824-41-6